

Art Unit: 1644

EXAMINER'S AMENDMENT

1. Applicant's response filed on 03/07/2011 has been entered.
2. Claims 138, 173, 175, 177 and 180-181 are pending.
3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.
4. Authorization for this amendment was given in a telephone interview with Harold Fox on March 25, 2011.

In the claims:

5. In claim 138, line 1, word 5, the word "a" has been deleted.
6. In claim 138, line 9, the phrase "protein" has been changed to --protein--.
7. In claim 177, line 1, the phrase "the polypeptide" has been changed to --the fusion protein--.
8. Claims 173, 175 and 180-181 are cancelled.
9. Claims 138 and 177 are allowed.
10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nora M. Rooney whose telephone number is (571) 272-9937.

Art Unit: 1644

The examiner can normally be reached Monday through Friday from 8:30 am to 5:00 pm. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ram Shukla can be reached on (571) 272-0735. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 25, 2011

/Nora M Rooney/

Primary Examiner, Art Unit 1644